

AEMA/Emergency Operation Center
5898 County Road 41
Clanton, AL. 35046-2160
Phone: (205) 280-2210
Fax: (205) 280-2495

SITREP/DECLARATION ID: Hurricane Katrina SITREP # 9

OPERATIONAL PERIOD: 00:01 to 24:00 9/2/05

1. SITUATION:

- A. BACKGROUND:** On Monday, August 29, 2005, the State of Alabama battled Hurricane Katrina. Katrina was a Category 4 hurricane that impacted Baldwin and Mobile counties. Dauphine Island faced 100 mph wind gusts with measured winds of over 80 mph in Mobile. The highest storm surge was reported to be 15 feet which was in Bayou La Batre. There were 4 confirmed tornadoes. These tornadoes were sited in Montgomery, Macon, Tallapoosa and Calhoun counties. Rainfall was actually insignificant. The most rainfall reported was in extreme west Alabama which was 3-4 inches.
- B. CURRENT:** **This Afternoon:** Mostly sunny, with a high around 90. North wind between 5 and 10 mph.
Tonight: Clear, with a low around 64. North wind around 5 mph becoming calm.
- C. CASUALTIES:** Current As of: 09/02/2005
- | DEAD | HOSPITALIZED | MISSING |
|------|--------------|---------|
| 2 | 2 | * |

* No figures available at this time.

2. SEVERITY OF IMPACT ON LOCAL JURISDICTIONS:

- A. IMPACT ON INDIVIDUALS:** Initial verbal reports show substantial flooding and damage in impacted areas. Currently ensuring that immediate needs are met to best of our ability.
- B. IMPACT ON BUSINESSES:** Same as above.
- C. UTILITIES:**
- (1) POTABLE WATER SUPPLIES:** See Attachment E
- (2) ELECTRIC POWER:**
- | | | |
|--------------------------|-----------------------|-----------|
| ALABAMA POWER | Total Customers | 1,400,000 |
| | Total Customers out | 636,847 |
| | Customers out current | 125,503 |
| | Customers restored | 511,000 |
| Outages eff 14:30 9/2/05 | | |
| AL Rural Electric Coop. | Total Customers | 496,400 |
| | Total Customers out | 148,927 |
| | Customers out current | 11,106 |
| | Customers restored | 137,821 |
| Outages eff 13:30 9/2/05 | | |
| AL Electric Cities | Total Customers | 496,400 |
| | Total Customers out | 148,927 |
| | Customers out current | 11,106 |

Customers restored 137,821

Outages eff: 13:15 9/1/05

- (3) **GAS PIPELINES:** No Reported Problems.
- (4) **COMMUNICATIONS:** Bellsouth Number of Potentially Impacted lines: 75,271
effective: 17:00 9/1/05
- (5) **SEWAGE TREATMENT:** See attached summary of impacts.

D. ROAD/TRANSPORTATION STATUS:

- (1) **AIRPORTS:** All Airports in State of Alabama are Open and Operational
- (2) **RAILWAYS:** In all areas except Mobile, trains are operating normally, in Mobile there are no main lines operating.
- (3) **INTERSTATE HIGHWAYS:** See Attachment A- No new closings on 9/2/05
- (4) **BRIDGES:** See Above
- (5) **OTHER: FUEL** There are reported shortages statewide.
State Troopers are reporting a shortage along I-65 south of the 57 mile marker to the city of Mobile.

E. OTHER CRITICAL FACILITIES:

- (1) **MEDICAL FACILITIES:** No closings reported
- (2) **SCHOOLS:** Baldwin, Choctaw, Mobile and Washington County Schools are closed until Tuesday 9/6/05.
- (3) **HAZMAT FACILITIES:** Most industrial plants in Mobile County have hurricane plans that outline procedures to put their plant in a Stand-by safe status or completely shut down depending on the circumstances. The following is a summary of current status of major chemical plants:
See Attached Summary of Company Status

3. STATUS OF DECLARATION:

A. DECLARATION STATUS:

Major Disaster Declaration was received on 8/29/05. The following counties were declared for PA(Cat A&B): Mobile, Baldwin, Washington, Choctaw, Sumter and Clarke. Individual Assistance is authorized in Baldwin, Mobile and Washington Counties.

4. STATUS OF STATE OPERATIONS:

A. OPERATIONS SECTION:

(1 **National Guard Activities:** 50 cots to Etowah County for their shelter
40 KW 240V 3 Phase Generator to Dauphin Is.
NG Resources sent to EMAC
NG opened FT Payne for support ops
250 Cots sent to Bayou Le Batre.
50 NG sent to Mobile County
350 NG Louisiana
1500 NG Mississippi
1200 NG Alabama
3050 TOTAL

(2 **OPERATIONS
SUPPORT BRANCH:**

(a **ESF-9**

ALTF-1 Mobile (30 Persons)	Deployed 8/30/05
Prattville Water Rescue 6 (14 Persons)	Deployed 8/30/05
Trussville Water Rescue 3 (8 Persons)	Deployed 8/30/05
Calera Water Rescue 5 (8 persons)	Deployed 8/30/05

Decatur Medium Rescue 2 (8 persons)	Deployed 8/31/05 a.m.
Marshall Co. Medium Rescue 7 (8 persons)	Deployed 8/31/05 a.m.

Ft. Payne Heavy Rescue 9 (12 persons)	Deployed 8/31/05 a.m.
Madison Heavy Rescue 1 (12 persons)	Deployed 8/31/05 a.m.
Birmingham Heavy Rescue 3 (28 Persons)	Deployed 8/31/05 a.m.

Hoover Heavy Rescue/Water Rescue 5 (34 persons)	Deployed 8/31/05 a.m.
--	-----------------------

2 Ops and 2 Log personnel 1- Madison EOC Scott Worsham 1- Morgan EOC Eddie Hicks 1- Dallas EOC Brett Howard 1- Talladega EOC Roger Quarles	Deployed to Mobile County EOC
--	-------------------------------

Law Enforcement Team 7 Tuscaloosa
25 Personnel performing patrols and assisting in operations planning in Pritchard AL

Law Enforcement Team 8 (AL-DPS) Deployed to MS under EMAC
75 Troopers with vehicles

1 Command/Communications Vehicle w/3 personnel deployed to Bayou La Batre, AL.
3 – Jefferson County Personnel 8/30/05

Tuscaloosa County Sheriff Department(30 persons) deployed to Louisiana

Incident Support Teams (2 persons each) Members of the AMAS IST.	Deployed to Gulfport, MS to provide 24/7 liaison w/MS Incident Commander.
---	--

(b **ESF-14**

See Mitigation Below

(c **ESF-15**

See External Affairs Below

(3) **INFRASTRUCTURE
SUPPORT BRANCH:**

- (a) **PUBLIC ASSISTANCE:** See Attached PDA Schedule
- (b) **ESF-2:** See Communications Above
- (c) **ESF-10** No reported problems.
- (d) **ESF-12:** No reported problems.

(4) **HUMAN SERVICES
BRANCH:**

- (a) **INDIVIDUAL ASSISTANCE:** DRC in Bayou La Batre opened at 12:00 today.
DRC's in Chatom, Bay Minette, Robertsedale, Fairhope and Orange Beach are scheduled to open on 9/5/05.
- (b) **VOLUNTEER AGENCIES:**
- The GFBCI hosted a conference call on 9/2/05 with AL VOAD members, the FEMA Region IV Volunteer Agency Liaisons (VAL) and the GFBCI.
 - The GFBCI has established a website to match volunteers with volunteer opportunities. This website can be reached at www.servealabama.gov. People without internet access can register to volunteer by calling 1-877-273-5018.
 - Donations are not being accepted at this time.
 - GFBCI is currently locating a suitable donations warehouse in Mobile
 - GFBCI has activated a Cash Donations Hotline

- (c) **ESF-6:**

Current As of: 09/02/2005			
Meals served last reporting period	7,147	Meals served total	43,600
Shelters Open	20	Sheltered Occupants	1389

9 Mobile feeding units are operating statewide

8 Mobile Feeding Units operating in Mobile Area

- (d) **ESF- 8:** Medical Needs Shelter: Fair Park Arena in Birmingham
ADPH will issue press releases as needed regarding public health/safety issues.
- (d) **ESF-11:** NW AL north of Tuscaloosa approx. 10% damage to corn crop, minor damage to cotton crop, cotton was laid down by high winds but could recover
Cotton report heavy damage in Mobile Co.; Pecans heavy damage in Mobile Co.; Satsuma crop heavy damage in Mobile Co
Poultry-statewide: light to minor damage, several companies reporting metal roofing damage, one older house destroyed in Cullman Co.; 200-300 poultry houses tin damage; 8-10 houses damaged severe enough to have to relocate chickens into other houses; possibly 2-3 houses damaged severe enough that may not be repairable; less than 10,000 chickens lost, mostly due to generator failure at a farm in Walker Co.
The Department has a list of 15 facilities across the state that will house animals evacuated because of the hurricane. The list, along with contact information and type of animal is posted on the Department website as well as on the EM2000. Some of these facilities will house small animals such as dogs and cats; however, most only house horses. The total number of animals that can be accommodated is over 2000. Late this morning it was reported that just under 100 horses were being sheltered.

(e) **DONATIONS:** See Voluntary Agencies above

**5. EMERGENCY
SERVICES BRANCH:**

(a) **ESF-1:** ALDOT officials restored both westbound lanes of the Wallace Tunnel this morning, and expect to restore both eastbound lanes later today. The tunnels since Monday have been restricted to one lane in each direction with pumping equipment in the other lanes to expel floodwaters from the ventilation and drainage shafts under the driving surface.

ALDOT officials expect to open the Causeway eastbound by late Friday. The ramp bridge from the U.S. 90 Causeway eastbound onto Interstate 10 eastbound will remain closed for an extended period because five concrete spans must be replaced. These 50-foot spans were destroyed by storm surge. There is no timeline or cost estimate, but officials will work as quickly as possible to achieve this repair.

State Road 193 – the Dauphin Island Parkway is expected to be fully open by Saturday morning. Crews are repairing washouts and shoulder damage

The fiber optic cables to the I-10 traffic information signs sustained major damage. Extensive repairs are necessary and this traffic information system will be out of service for an extended period until repairs are made.

Officials expect to fully open State Road 182 – Beach Road in Gulf Shores by late Thursday evening.

Fort Morgan Road is fully open to traffic with debris cleanup and sand removal continuing in some places.

ALDOT officials continue to urge motorists, especially local traffic, to take the Bankhead Tunnel or the Cochrane-Africatown USA Bridge as an alternate to the Wallace Tunnels on Interstate 10.

Road conditions are available on the ALDOT web site at www.dot.state.al.us.

MOBILE – Hurricane Katrina damaged the state’s *Fort Morgan Ferry* that provides round-trip passage across Mobile Bay from Fort Morgan to Dauphin Island.

(b) **ESF-3** Numerous squads of ADOC State Inmate labor are assisting state and local government officials in debris removal and road clearing.

(c) **ESF-4** Standby personnel waiting
5 TOTAL personnel responding

(d) **ESF-13** Additional security provided to Fairhope
Additional Security provided to Bay Minnette
Security personnel to Robertsdales & Daphne
Security to Magnolia Springs, AL
75 Mississippi
68 AL
143 TOTAL personnel responding

Conservation:
Standby personnel waiting
60 TOTAL personnel responding

B. LOGISTICS SECTION**ESF-7:**

Delivered Commodities:

41 trucks of Water
 2 trucks of Ice
 5 trucks of MRE's
 9,467 tarps
 12 trucks of cots

Cumulative Delivered Commodities:

147 trucks of Water
 107 trucks of Ice
 36 trucks of MRE's
 13,859 tarps
 6,000 gallons of Gas
 12,000 gallons of Diesel

C. PLANNING SECTION**ESF-5:**

No significant issues.

State Assets Deployed to Hurricane Katrina Current As of: 09/01/2005				
	State			State
NG	1,600		ARC	1,200
DPS	143		Salvation Army	171
Forestry	5		AGI	21
Conservation	60		APCO	6,000
DOT	1512		Rural Co-Op	250
Corrections	1		ADEM	20
DPH	170		GFBCI	7
AEMA	52		ADECA	1
CAP	0			
IST	3			
Subtotal:			11,778	
Mutual Aid Teams				
*Prattville	14		*ALTF 1-Mobile	30
*Trussville	8		*Decatur	8
*Calera	8		*Marshall	8
*Madison	12		*Ft Payne	12
*Birmingham	28		*Hoover	34
Madison EOC	1		Morgan EOC	1
Dallas EOC	1		Talladega EOC	1
Jefferson EOC	3		*AMAS IST	4
DPS Deployed	100		Tucaloosa Sherrif	30
*Total MA In MS	266		Total MA in AL	7
Subtotal				476
GRAND TOTAL				12,254

MITIGATION

No significant issues

**F. FINANCE /
COMPTROLLER:**

Current As of: 09/01/2005

Allocations		\$0
Available Commitments		\$0
Total Available Obligations		\$0
Expenditures	\$2,307,678.70	
Commitments, Obligations & Expenditures		\$2,307,678.70
Funds Available		\$0

G. EXTERNAL AFFAIRS

ESF-15:

- (1) **Public Affairs:** No issues at this time.
- (2) **Congressional &
Legislative Affairs:** There are no critical issues.

**H. ENVIRONMENTAL AND
HISTORICAL
PRESERVATION:**

No report at this time.

Reviewed by:

Information and Planning Section Chief

September 2, 2005

Attachment A: Road and Bridge Closings:

I-10 WB Advisory			Mobile	Approaching Mississippi State line	Extensive damage of roadways in MS. EXPECT extensive delays	9/1/2005 13:53
US 90/98	Closed	Mobile		Causeway - Eastbound	Eastbound lanes of Causeway are CLOSED. Westbound lanes are open.	9/1/2005 07:03
US 90/98	Advisory	Mobile		Causeway - Westbound.	Two lanes are open for Westbound traffic. Eastbound lanes are still closed.	9/1/2005 07:02
US-11	Advisory	Sumter		From Mississippi State Line to Epes	Trees down along roadway, Drive with caution	8/31/2005 11:39
SR-10	Open	Choctaw		From Mississippi state line to Butler	Tree's down along roadway @ several locations	8/31/2005 11:25
US 80	Advisory	Sumter		From I-59 to Belamy	Debris and Power Lines along highway. Use Caution.	8/31/2005 09:31
US 90/98 Truck Route	Advisory	Mobile		Cochrane Africatown Bridge	Bridge is open to traffic. One lane is open each direction. Proceed with caution.	8/31/2005 06:57
AL 180	Closed	Baldwin		From Fort Morgan to MP 6	Debris in roadway	8/30/2005 16:36
SR-69	Advisory	Marengo		M.P. 44.7 near Clarke/Marengo County Line	Trees and power lines across roadway.	8/30/2005 13:43
SR 171	Advisory	Tuscaloosa		Between MP 3 and MP 12	Roadway open, but power lines down	8/30/2005 11:23
SR 7 (U.S. 11)	Advisory	Tuscaloosa		Near B F Goodrich Tire Plant (approx. MP 71)	Debris adjacent to roadway. Proceed with caution.	8/30/2005 11:22
SR 69 North	Closed	Tuscaloosa		Between MP 168 and MP 177, Co. Rd. 38 to Co. Rd. 46	Roadway closed - trees down with power lines	8/30/2005 11:20
SR 56	Advisory	Washington		From Mississippi state line to U.S. 43	Trees down along roadway at a number of locations. Drive with caution	8/30/2005 05:59
I-10 EB and WB	Advisory	Mobile		I-10 at Wallace Tunnels in Mobile	Proceed through I-10 Wallace Tunnels with caution. Two lanes are open Westbound. One lane open Eastbound. Hazardous cargo is prohibited through Wallace Tunnels. EXPECT DELAYS	8/30/2005 04:18
SR-17	Advisory	Choctaw		From Washington/Choctaw County line to Butler.	Trees and power lines down at a number of locations along roadway. Drive with caution	8/29/2005 23:52
SR-5	Advisory	Wilcox		Pine Hill	Signal Out	8/29/2005 23:10
SR-17	Advisory	Washington		From U.S. 45 to Choctaw County Line	Trees and power lines down along roadway at a number of locations. Traffic signals out in Chatom at SR-56. Drive with caution.	8/29/2005 23:08
US-84	Advisory	Choctaw		From Mississippi State line to Grove Hill	Trees and power lines down at a number of locations along roadway. Drive with caution.	8/29/2005 22:46
SR-154	Advisory	Clarke		From 4 mi. East of SR 69 (MP 4) to Thomasville	Debris in roadway. Proceed with caution.	8/29/2005 22:09
US 98	Advisory	Mobile		Cochrane-Africatown USA Bridge	The Cochrane Bridge is open with one lane in each direction. Overweight vehicles are prohibited from crossing the	8/29/2005 22:01

U.S. 45	Advisory	Washington	From SR-17 to Mississippi state line.	bridge. Trees down along roadway at a number of locations. Drive with caution	8/29/2005 21:29
US 90 WB	Advisory	Mobile	Approaching Mississippi Stateline Westbound	Extensive damages to US 90 in MS due to Hurricane Katrina. Roadway in MS CLOSED.	8/29/2005 20:59
SR-69	Advisory	Clarke	From U.S. 43 at Jackson north to Marengo County line.	Trees down along roadway at a number of locations. Drive with caution	8/29/2005 18:47
SR-17	Advisory	Sumter	From Choctaw County Line to Pickens County line.	Trees down along roadway at a number of locations. Drive with caution.	8/29/2005 17:11
AL 182	Closed	Baldwin	From Little Lagoon Pass westward	CLOSED DUE TO WATER AND DEBRIS OVER ROADWAY.	8/28/2005 23:34
AL 193	Advisory	Mobile	BETWEEN AL 188 AND DAUPHIN ISLAND	Roadway is open with pilot car assistance	8/28/2005 20:09

Attachment B: Status of Mobile Hazardous Materials Facilities:

MOBILE COUNTY MAJOR FACILITIES

Akzo-Nobel Functional Chemical Company

Sylvia Williams (251) 679-4315

Status: Shut down yesterday (08/29) and were
without power this morning (08/30).

08/31 12:00 No Change

Arkema, Inc. (Atofina)

Sam Cunningham (251) 829-4314

Status:

08/31 12:00 Phones Out

Degussa Corporation

Bill Klutz (251) 443-4763

Status:

08/31 12:00 Phones Out, Without Power

E.I. DuPont DeNemours & Co.

Ben Midgett (251) 679-5260

Status:

08/31 12:00 No Damage, Power ok, Begin Start Up

Kerr-McGee Chemical LLC

Kathy Dodson (251) 443-3360

Status:

08/31 12:00 Shut Down

Kimberly-Clark

Beth Allen (251) 330-2222

Status:

08/31 12:00 Shut down since Sunday pm, Power ok,
Not processing

Occidental Chemical Corporation

Ed Seitz (251) 452-7656

Status: Currently shut-down since Sunday PM and no power since Monday at 1:00 PM. No structural damage.

08/31 12:00 No Change

Shell Chemical LP

Porter Leftwich (251)

Status:

08/31 12:00 Power ok

Syngenta Crop Protection, Inc.

Nick Burroughs (251) 675-0950 ext. 268

Status:

08/31 12:00 Phones Out

Tencel, Inc. (Accordis)

Ian Roughsedge (251) 679-2655

Status:

08/31 12:00 Phones Out

UOP LLC

Jere Trigg (251) 330-7246

Status: Currently shut down but have power. Chickasaw Creek has overflowed the levee and has flooded part of the plant site. Currently working to get equipment working to relieve flooding.

08/31 12:00 No Change

U.S. Amines (Celanese)

Jim Allen (251) 829-3820

Status:

08/31 12:00 Power ok, Pre-start up mode

Attachment C: PDA Schedule

Public Assistance Damage Assessment Schedule						
	Team 1	Team 2	Team 3	Team 4	Team 5	Team 6
Day 1	Mobile	Baldwin	Washington	Clarke	Choctaw	Sumter
Day 2	Monroe	Wilcox	Marengo	Hale	Tuscaloosa	Green
Day 3	Pickens	Dallas	Perry	Bibb	Fayette	Marion
Day 4	Lamar	Marion	Walker	Jefferson	Cullman	Morgan
Day 5	Lawrence	Franklin	Winston	Blount		
	Team 1	Team 2	Team 3	Team 4	Team 5	Team 6
State	Victor St. Germaine (ALNG) SL # 377	Michael Morris (ALNG) SL # 4999	Anthony Williams (ALNG) SL # 4998	Angela Green (ALNG)	Kevin Zachary (ALNG)	Annette Davis (AEMA) SL # 83
Federal						

Canteen Dispositions

Alabama

Canteens

Locations Stationed

Clay County, FL	Roger Williams Homes Community Center 308 Fimington Drive Robertsdale, AL
Jacksonville, FL	Government Blvd. Police Precinct 2460 Government BLVD Mobile, AL
Mobile, AL	Bayou La Batre Northfiield Mall 13298 Wintzell Avenue Bayou La Batre, AL
Ocala, FL	Prichard City Hall 216 Prichard Street Prichard, AL
Orlando, FL	Satsuma City Hall 5668 2 nd Street Prichard, AL
Panama City, FL	3 rd Police Precinct St. Stephens Road Mobile, AL
Titusville, FL	Dauphin Island City Hall 1011 Bienville BLVD Dauphin Island, AL
Vero Beach FL	Happy Hills Public Housing 708 Phillips Dr Mobile, AL Robertsdale Fairgrounds 22398 Palmer Street Robertsdale, AL
Selma, AL	2 units
Tuscaloosa, AL	2 units

Attachment D: Status of Wastewater Treatment Plants

COUNTY	Municipal City	Number of plants	Customers Approximately	Operational Status of Plant	# of Treatment Plants W/O Primary Power	# of Plant Standby Units (Generator or Pumpout)	# of Collection System Pump Stations w/o Primary Power	# of Collection System Pump Stations on generators, etc.	COMMENTS
BALDWIN	BAY MINETTE	2	2589	Good	0	0	0	0	Back on full power
	DAPHNE	1	8000	Good	0	0	0	0	Back on full power
	GULF SHORES	1	4100	Good	0	0	75%	all have bypass pumps	close to being back on full power
	ORANGE BEACH	1	4633	Good	0	0	0	0	Back on full power
	LOXLEY	1	666	Good	0	0	0	0	Back on full power
	ROBERTSDALE	1	3000	Good	0	0	0	0	Back on full power
	FAIRHOPE	1	1300	Good	0	0	0	0	Back on full power
	SUMMERDALE	1	100	Good	0	0	0	0	Back on full power
	FOLEY	1	3641	Good	0	0	0	0	Back on full power
	SPANISH FORT	2	2800	Good	0	0	0	0	Back on full power
BUTLER	GEORGIANA	1		Good	0	0	0	0	Back on full power
	GREENVILLE	1	3200	Good	0	0	0	0	Back on full power
CLARKE	JACKSON	1	1850	Good	0	0	0	0	Back on full power
	GROVE HILL	1	900	Good	0	0	0	0	Back on full power
	THOMASVILLE	1	2209	Good	0	0	0	0	Back on full power
COFFEE	ENTERPRISE	3		Good	0	0	0	0	Back on full power
COVINGTON	ANDALUSIA	1		Good	0	0	0	0	Back on full power
ELMORE	ECLECTIC	1		Good	0	0	0	0	Back on full power
	MILLBROOK	1		Good	0	0	0	0	Back on full power
ESCAMBIA	ATMORE	1	7800	Good	0	0	0	0	Back on full power
	BREWTON	3	3300	Good	0	0	0	0	Back on full power
	FLOMATON	1		Good	0	0	0	0	Back on full power
MOBILE	BAYOU LA BATRE	1	900	Bad	0	1	13	0	6 ft under water at WWTP
	CHICKASAW	1	6500	Bad	1	0	ALL	1	Sewer flowing & about to get main lift statoin pumping. Lagoon dikes are stable & above water
	DAUPHIN ISLAND	2	5000						Still No Answer

								4 gen on ain 8 portable 8 bypass pumps	Ziebach is still down. Most power stations have primary power. Ziebach serves 166181 residents.
	MOBILE	3	237884	2 Good 1 Bad	1	0	80	all have ypass pumps	
	PRICHARD	2		Good	0	0	50%		
	MOBILE LEMOYNE	1	300	Good	1	1	1	1	running low on fuel. No fuel in mobile county
	CITRONELLE	1	860	Good	0	0	2	2	
	SARALAND	1	3000	Good	0	0	2	1	
MONROE	MONROEVILLE	2		Good	0	0	0	0	Back on full power
WILCOX	PINE HILL	1	220	Good	0	0	0	0	Back on full power
	CAMDEN (N. and S. Plants)	2	2250	Good	0	0	0	0	Back on full power
WASHINGTON	MILLERY	1	750	Good	0	0	0	0	Back on full power
	CHATOM	1	289	Good	0	0	0	0	Back on full power
CONECUH	EVERGREEN	1	2500	Good	0	0	0	0	Back on full power
	TRUS JOIST MACMILLAN	1	350	Good	0	0	0	0	Back on full power
CHOCTAW	BUTLER	1	1300	Good	0	0	0	0	Back on full power
	NORTH CHOCTAW	1	1200	Good	0	0	2	0	No Answer
MARENGO	DEMOPOLIS	1	3300	Good	0	0	0	0	Back on full power
	LINDEN	1	1100	Good	0	0	0	0	Back on full power
SUMTER	LIVINGSTON	1							No Answer
	YORK	1	1060	Good	0	0	0	0	Full Power
	EPP	1	1300	Good	0	0	0	0	Full Power
	CUBA	1							Busy
GREENE	GREENTRACK LAGOON	1	12	Good	0	0	0	0	Full Power
HALE	GREENSGORO LAGOON	1	1200	Good	0	0	0	0	Full Power
	MOUNDVILLE LAGOON	1	1900	Good	0	0	1	0	No Answer
	AKRON LAGOON	1							No answer
PICKENS	ALICEVILLE EAST LAGOON	1	400	Good	0	0	0	0	
	ALICEVILLE WEST LAGOON	1	500	Good	0	0	1	0	
	CARROLLTON HCR LAGOON	1	450	Good	0	0	0	0	
	REFORM	1	680	Good	0	0	0	0	Full Power
	GORDO	1	500	Good	0	0	0	0	(Cindy Housel) Just got Power.
TUSCALOOSA	TUSCALOOSA	1	140,000	Good	0	0	0	0	Norman Davis
	NORTHPORT	1	20,000	Good	0	0	0	0	Full Power

	VANCE	1	210	Good	0	0	0	0	Full Power
FAYETTE	BERRY	2		Good	0	0	0	0	Full Power
	FAYETTE	2		Good	0	0	0	0	Full Power
LAUDERDALE	FLORENCE	3	30000	Good	0	0	0	0	OPERATIONS NORMAL
	ROGERS	4	2400	Good	0	0	0	0	OPERATIONS NORMAL
	WATERLOO	3	1800	Good	0	0	0	0	OPERATIONS NORMAL
	KILLAN	2	2600	Good	0	0	0	0	OPERATIONS NORMAL
	LEXINGTON	1	925	Good	0	0	0	0	OPERATIONS NORMAL
LAWRENCE	MOULTON	3	4000	Good	0	0	0	0	OPERATIONS NORMAL
	COURTLAND	1		Good	0	0	0	0	Full Power
FRANKLIN	RED BAY WWTP	1		Good	0	0	0	0	Full Power
	RUSSELLVILLE WWTP	1		Good	0	0	0	0	Full Power
	PHIL CAMPBELL WWTP	1		Good	0	0	0	0	Full Power
MARION	WINFIELD WWTP	1		Good	0	0	0	0	Full Power
	HAMILTON WWTP	1		Good	0	0	0	0	Full Power
	GUIN BEAVER CREEK LAGOON	1		Good	0	0	0	0	Full Power
	BRILLIANT WWTP	1		Good	0	0	0	0	Full Power
LAMAR	SULLIGENT WWTP	1		Good	0	0	0	0	Full Power
	VERNON YELLOW CREEK LAGOON	1		Good	0	0	0	0	Full Power
	MILLPORT LAGOON	1		Good	0	0	0	0	Full Power
COLBERT	SHEFFIELD	1	4300	GOOD	0	0	0	0	Full Power
	TUSCUMBIA	1	3500	GOOD	0	0	0	0	Full Power
	LITTLEVILLE	2		Good	0	0	0	0	Full Power
	COLBERT COUNTY	1	1700	Good	0	0	0	0	Full Power
	LEIGHTON	1	3800	Good	0	0	0	0	Full Power
	MUSCLE SHOALS	2	8000	GOOD	0	0	0	0	Full Power
	CHEROKEE	3	11000	Good	0	0	0	0	Full Power
FAYETTE	BERRY	2	1400	GOOD	0	0	0	0	Full Power
	FAYETTE	2		Good	0	0	0	0	Full Power
LAUDERDALE	FLORENCE	3	30000	GOOD	0	0	0	0	Full Power
	ROGERS	4	2400	GOOD	0	0	0	0	Full Power
	WATERLOO	3	1800	GOOD	0	0	0	0	Full Power
	KILLAN	2	2600	GOOD	0	0	0	0	Full Power
	LEXINGTON	2	1225	GOOD	0	0	0	0	Full Power
LAWRENCE	TOWN CREEK	1	450	GOOD	0	0	0	0	Full Power
	TRINITY	1		GOOD	0	0	0	0	Full Power
LIMESTONE	ATHENS	6		GOOD	0	0	0	0	Full Power
	ARDMORE	1		GOOD	0	0	0	0	Full Power
	HARVEST	1		GOOD	0	0	0	0	Full Power

MADISON	MADISON	2		GOOD	0	0	0	0	Full Power
	HUNTSVILLE	11		GOOD	0	0	0	0	Full Power

NOTES:

Chickasaw, Bayou La Batre, and Dauphin Island are the worst hit.
Cities in green are on full power.

TOTAL

3

2

103.25

5

Attachment E: Status of Water Systems

SYSTEM	STATUS	COUNTY	SOURCE TYPE	POPULATION SERVED
Daphne	no problems	Baldwin	Ground	23,600
Fairhope	no problems	Baldwin	Ground	28,800
Gulf Shores	boil water notice for west of Keva Dunes	Baldwin	Ground	15,300
Orange Beach	no problems	Baldwin	Ground	9,000
Robertsdale	no problems	Baldwin	Ground	4,600
Summerdale	no problems	Baldwin	Ground	900
Green Pond	no problems	Bibb	Ground	5,500
Blount County	no problems	Blount	Surface	15,000
Nectar	no problems	Blount	Ground	2,500
Oneonta	no problems	Blount	Surface	17,000
Butler	no problems	Choctaw	Ground	3,600
Gilbertown	no problems	Choctaw	Ground	4,600
North Choctaw	still on a boil water notice	Choctaw	Ground	2,200
Coffeeville	no problems	Clarke	Ground	500
Fulton	no problems	Clarke	Ground/Purchase	500
Grove Hill	no problems	Clarke	Ground	3,200
Jackson	no problems	Clarke	Surface	7,600
McVay	no problems	Clarke	Surface/Purchase	1,400
Mid-Central Alabama	cannot contact	Clarke	Ground/Purchase	2,000
Old Line	no problems	Clarke	Surface/Purchase	3,500
Old Suggsville	no problems	Clarke	Surface/Purchase	1,400
Salitpa	no problems	Clarke	Surface/Purchase	750
Thomasville	no problems	Clarke	Surface	7,000
Barton	no problems	Colbert	Surface/Purchase	1,650
Cullman County	no problems	Cullman	Surface/Purchase	43,000
Berry	no problems	Fayette	Surface	3,500
Fayette	no problems	Fayette	Surface	8,000
Greene County	no problems	Greene	Ground	1,300
Hale County	still on a boil water notice	Hale	Ground	4,200
Bessemer	no problems	Jefferson	Surface	78,000
Warrior River	no problems	Jefferson	Surface	26,100
Kennedy	no problems	Lamar	Ground	800
Lamar County	still on a boil water notice	Lamar	Ground	4,200
Millport	no problems	Lamar	Ground	1,600
Bear Creek	no problems	Marion	Surface/Purchase	2,800
Guin	no problems	Marion	Surface	4,300
Hackleburg	no problems	Marion	Surface/Purchase	2,000

Hamilton	no problems	Marion	Surface	9,800
Hodges	no problems	Marion	Ground	2,100
Upper Bear Creek	no problems	Marion	Surface	32
Winfield	no problems	Marion	Surface	9,000
Bayou La Batre	still on a boil water notice	Mobile	Ground	7,700
Dauphin Island	no problems	Mobile	Ground	4,400
Lemoyne	no problems	Mobile	Ground	2,500
MCB	still on a boil water notice	Mobile	Ground	700
Mobile	no problems	Mobile	Surface	275,000
Mobile County	still on a boil water notice	Mobile	Ground	28,700
Mt. Vernon	still on a boil water notice	Mobile	Ground	2,300
Prichard	no problems	Mobile	Surface/Purchase	38,000
Saraland	no problems	Mobile	Ground	12,000
Searcy Hospital	cannot contact	Mobile	Ground	600
South Alabama Utilities	no problems	Mobile	Ground	7,700
Aliceville	no problems	Pickens	Ground	4,000
Gordo	no problems	Pickens	Ground	450
Pickens County	still on a boil water notice	Pickens	Ground	14,000
Northwest St. Clair County	no problems	St. Clair	Ground/Purchase	1,700
Sumter County	still on a boil water notice	Sumter	Ground	9,000
York	no problems	Sumter	Surface	4,000
Wall Street	no problems	Tallapoosa	Surface/Purchase	5,000
Buhl, Elrod & Holman	no problems	Tuscaloosa	Ground	3,000
Mitchell	no problems	Tuscaloosa	Surface/Purchase	8,300
Northport	no problems	Tuscaloosa	Surface	29,000
Peterson	no problems	Tuscaloosa	Surface/Purchase	1,800
Tuscaloosa	no problems	Tuscaloosa	Surface	129,000
Deer Park - Vinegar Bend	no problems	Washington	Ground	400
Frankville	no problems	Washington	Ground	800
Fruitdale	no problems	Washington	Ground	200
Leroy	no problems	Washington	Ground	1,300
Mcintosh	no problems	Washington	Ground	2,600
St. Stephens	no problems	Washington	Ground	700
Wagarville	no problems	Washington	Ground	500
Pine Hill	no problems	Wilcox	Surface	2,500